

ATTACHMENT A

**Berkeley Heights Public Schools
Office of the Superintendent
November 12, 2020**

Professional Development Days

<u>Name</u>	<u>Event</u>	<u>Date(s)</u>	<u>Cost</u>
Bartlett, Jacqueline	“Developing Socially and Emotionally Healthy Students” (virtual)	11/19/2020	\$60.00
Gardner, Michele Corsentino, Michelle Gates, Jeannette Marcus, Toby McGarry, Heather Mohr, Melissa Pirozzoli, Tara Sempepos, Peter Siebelts, Steve Weaver, James	“The World Turned Upside Down: Supporting Special Education During COVID-19” Union County Administrators of Special Education (UCASE) Annual Conference (virtual)	12/4/2020	\$250.00
Gold, Marissa	“Drexel University Open House” (virtual)	12/1/2020	No cost
Nixon, Robert	“Union County High School Principals Association Meetings” (virtual)	12/10/2020 1/21/2021 2/18/2021 3/18/2021 4/22/2021 5/21/2021	No cost
Ortega, Richard	“Rutgers University/Scarlet Knights Wrestling Club Wrestling Clinic” (virtual)	12/4/2020	\$82.60
Roof, Christopher	“America Baseball Coaches Association National Convention” (virtual)	1/8/2021	\$90.00
Tennant, Susan	“New Jersey Association of School Psychologists (NJASP) Winter Conference” (virtual)	12/4/2020 12/16/2020	\$155.00

ATTACHMENT B

**Berkeley Heights Public Schools
Office of the Superintendent
November 12, 2020**

It is recommended by the Superintendent of Schools that the Board approve the following modified leave of absence requests:

Tyler Brown, Teacher of Physical Education at Mountain Park School: He is requesting an extension of his medical leave of absence through April 4, 2021. The Board had previously approved his requests for a medical leave of absence from September 1, 2020, through November 1, 2020 (Board meetings of August 13, 2020, and September 24, 2020).

Catherine Egan, Paraprofessional at Mary Kay McMillin Early Childhood Center: She is requesting an extension of her medical leave of absence through January 31, 2021. The Board had previously approved her request for a medical leave of absence from September 1, 2020, through October 31, 2020 (Board meeting of August 13, 2020).

Rhonda Einhorn, Teacher of English at Columbia Middle School: She is requesting an extension of her medical leave of absence through December 31, 2020. The Board had previously approved her request for a medical leave of absence from September 1, 2020, through October 31, 2020 (Board meeting of September 10, 2020).

Tiffany George-Pellew, Paraprofessional at Governor Livingston High School: She is requesting a revision in the dates for her FFCRA Child Care Leave of Absence to September 22, 2020, through October 18, 2020. The Board had previously approved her request for a FFCRA Child Care Leave of Absence from September 22, 2020, through October 22, 2020 (Board meeting of October 8, 2020).

Michelle Martino, Paraprofessional at Governor Livingston High School: She is requesting an extension of her unpaid leave of absence in accordance with the New Jersey Family Leave Act through November 22, 2020. The Board had previously approved her request for an unpaid leave of absence in accordance with the New Jersey Family Leave Act from September 15, 2020, through October 27, 2020 (Board meeting of September 24, 2020).

Page 2

Tara Oliveira, Assistant Principal at Governor Livingston High School: She is requesting an extension of her unpaid leave of absence in accordance with the New Jersey Family Leave Act through January 14, 2021, and an unpaid child care leave of absence from January 15, 2021, through February 28, 2021. The Board has previously approved her requests for a maternity/disability leave of absence and unpaid leave of absence in accordance with the New Jersey Family Leave Act, spanning the period from July 18, 2020, through December 16, 2020 (Board meeting of March 12, 2020).

Katherine Rottenberg, Grade 1 Teacher at Mary Kay McMillin Early Childhood Center: She is requesting an extension of her medical leave of absence through January 31, 2021. The Board has previously approved her request for a medical leave of absence from September 1, 2020, through October 31, 2020 (Board meeting of August 13, 2020).

Aida Swon, Part-Time Elementary Counselor at William Woodruff School: She is requesting an unpaid child care leave of absence from November 23, 2020, through June 30, 2021. The Board had previously approved her request for a FFCRA Child Care Leave of Absence from September 1, 2020, through November 22, 2020 (Board meeting of August 13, 2020).

ATTACHMENT C

BERKELEY HEIGHTS BOARD OF EDUCATION

Union County
 Comprehensive Maintenance Plan
 Actual FY 20 -- Current FY 21 -- Planned FY 22

	Actual FY 20	Current FY21	Planned FY 22
Governor Livingston High School	<p>\$361,357</p> <p>Electrical system upgrades and repairs. Air conditioner repairs and replacements. Gym floor maintenance. Window repairs. Interior and exterior LED lighting upgrades. Classroom door lock replacement. Plumbing upgrades and repairs. HVAC monitoring, repairs and upgrades. Exhaust system maintenance. Elevator monitoring and repairs. Fire system inspections and maintenance. IPM services. Intercom and speaker repairs. Sewer cleaning. Paving upgrades and repairs. Boiler repairs and maintenance. Exterior lighting upgrades. Asbestos removal. Bathroom upgrades. Classroom flooring upgrades. Concrete and sidewalk repairs. Clock repairs. Rooftop fan repairs & replacement. Ceiling repairs. Interior painting.</p>	<p>\$325,531</p> <p>Classroom ceiling and lighting upgrades. Specific classroom and office floor replacement. Asbestos removal. Boiler repairs and maintenance. HVAC monitoring and repairs. Fire alarm system monitoring and repairs. Elevator monitoring and repairs. Plumbing repairs and pump replacement. Paving, curbing and drainage repairs. Gym locker repairs. Outside drainage upgrades and repairs as necessary. Rooftop exhaust fan repairs. Installation and replacement. Window spring repair.. Bathroom upgrades. LED lighting replacement.</p>	<p>\$341,808</p> <p>Boiler repairs and maintenance. Roof fan replacement and repair. Outside drainage upgrades and repairs as necessary. Paving upgrades and repairs. Fencing repairs and replacement as required. Classroom and hallway ceiling and lighting upgrades. Classroom flooring removal and replacement. Plumbing repairs as required. Roofing and drainage replacement and repairs. Exterior and interior lighting upgrades. Classroom door repairs and replacement. Safety and security upgrades.</p>

	Actual FY 20	Current FY21	Planned FY 22
Columbia Middle School	<p>\$226,982</p> <p>Boiler maintenance, inspections and repairs. HVAC monitoring, maintenance and repairs. Elevator monitoring and repairs. Plumbing upgrades and repairs. Cleaning of sewer lines. Fire system monitoring and maintenance. Floor replacement at specific areas. IPM services. Electrical system repairs and upgrades. Door repairs. Paving repairs. Window repairs. Classroom floor repairs. Drainage repairs. Asbestos removal. Classroom air conditioning repairs and replacement. Exterior lighting replacement. Sewer line cleaning. Tree removal. Window film installation. Exhaust fan repairs and replacements. Interior painting.</p>	<p>\$208,069</p> <p>HVAC monitoring and repairs. Window repairs. Plumbing maintenance and repairs. Elevator monitoring and repairs. Fire system monitoring, maintenance and repairs. Classroom floor upgrades and replacement. Boiler maintenance and repairs. Paving, curbing and drainage repairs. Sewer line cleaning. Tree removal. Asbestos removal. Electrical system maintenance and repairs. Door repairs. Paving and drainage repairs. Window air conditioner replacements. Interior and exterior lighting LED retrofit. Ceiling repairs. Exterior & cafeteria LED lighting replacement. Installation of a storage container.</p>	<p>\$218,473</p> <p>Parking lot and driveway paving and upgrades. Electrical system upgrades as required. HVAC maintenance as required. Plumbing repairs as required. Interior painting as required. Roof repairs and maintenance. Interior and exterior lighting upgrades. IPM services. Internet wiring upgrades. Interior painting. Multipurpose room upgrades. Classroom ceiling replacement. Floor tile replacement. Safety and security upgrades. Rooftop fan replacement and repairs.</p>

	Actual FY 20	Current FY21	Planned FY 22
Mary Kay McMillin Early Childhood Center	<p>HVAC maintenance and repairs. Playground maintenance. Chimney and roof repairs. Boiler repairs and maintenance. Ceiling upgrades. Electrical repairs and maintenance. Plumbing repairs. Fire system repairs and monitoring. IPM services. Window repairs. Sewer cleaning. Paving repairs. Grease trap maintenance. Tree removal. Interior painting, Sidewalk repairs.</p> <p>\$98,142</p>	<p>Tree removal. HVAC repairs and maintenance. Alarm system monitoring and maintenance. Plumbing repairs. Elevator monitoring and maintenance. Interior painting. Fire system repairs and monitoring. Boiler maintenance and repairs. Paving improvements and repairs. Grease trap maintenance. Lighting upgrades. Roof repairs. Window repairs. Concrete repairs. Air conditioning repairs. Rooftop fan repairs. Exterior LED lighting upgrades.</p> <p>\$80,558</p>	<p>Alarm system upgrades and repairs. Tree trimming and removal as required. Boiler maintenance as required. Electrical and plumbing repairs as required. Paving and outside drainage repairs and replacement. IPM services. Grease trap maintenance. Safety and security upgrades. Rooftop fan repairs and maintenance.</p> <p>\$84,586</p>
Hughes Elementary School	<p>Boiler maintenance, inspections and repairs. HVAC monitoring, maintenance and repairs. Fire system inspection, monitoring and repairs. Plumbing upgrades and repairs. Paving upgrades and repairs. Cleaning of sewer lines. Electrical system repairs and maintenance. Window security film installation. Rooftop fan repairs and replacement. Sump pump replacement.</p> <p>\$76,664</p>	<p>HVAC repairs and maintenance. Alarm system monitoring and repairs. Plumbing upgrades and repairs. Fire system monitoring and repairs. Boiler repairs and maintenance. Paving and curbing upgrades. Electrical repairs and upgrades. Drainage improvements. Window repairs. Tree removal. Rooftop fan installation. Exterior LED lighting upgrades.</p> <p>\$72,324</p>	<p>Security system upgrades. Classroom floor tile removal and replacement. Classroom ceiling and lighting replacement. Outside drainage upgrades. Electrical and plumbing repairs as required. Alarm system maintenance. IPM services. Curbing and paving repairs and upgrades. Rooftop exhaust fan replacement and repairs.</p> <p>\$75,940</p>

	Actual FY 19	Current FY20	Planned FY 21
Mountain Park Elementary School	\$103,487 Boiler maintenance and repairs. Sewer cleaning. Chimney repairs. HVAC repairs and maintenance. IPM services. Grease trap cleaning and maintenance. Door repairs. Plumbing upgrades and repairs. Electric upgrades and repairs. Alarm system maintenance and repairs. Fire system inspections maintenance and repairs. Paving repairs. Rooftop fan replacement and repairs. Basement waterproofing. Repairs to library media center HVAC unit.	\$84,280 Electrical repairs. Fire alarm system maintenance and repairs. Grease trap cleaning and maintenance. Plumbing upgrades and repairs. HVAC monitoring and repairs of the library unit. Boiler maintenance and repairs. IPM services. Rooftop fan replacement and repairs. Concrete repairs. Clock system repairs. Exterior lighting upgrades.	\$88,494 Safety and security upgrades. Window repairs. Classroom ceiling replacement. Plumbing and piping repairs and upgrades. Classroom cabinet, sink and faucet repair and replacement as necessary. HVAC repairs, service and replacement as necessary. Electrical and plumbing repairs as necessary. IPM services. Alarm systems maintenance. IPM services. Alarm systems repairs as required. Internet wiring upgrades. Classroom floor replacement. Rooftop exhaust fan repairs and replacement.

	Actual FY 20	Current FY21	Planned FY 22
Woodruff Elementary School	\$67,911 Boiler maintenance and repairs. Sewer cleaning. HVAC repairs and maintenance. IPM services. Grease trap cleaning and maintenance. Door repairs. Plumbing upgrades and repairs. Electric upgrades and repairs. Alarm system maintenance and repairs. Roof repairs. Electrical repairs. Paving upgrades. Door repairs. Air conditioning repairs and replacement. Window repairs. Clock replacement. Exhaust fan repairs and replacement. Smoke detector replacement.	\$78,899 HVAC system monitoring, maintenance and repairs. Alarm system maintenance and repairs. Grease trap maintenance and replacement. Localized plumbing repairs and upgrades. Electrical repairs as required. Boiler maintenance and repairs. Door maintenance and repairs. Fire system monitoring and repairs. IPM services. A/C repairs and replacement. Rooftop fan replacement and repairs. Drainage repairs. Tree removal. Asbestos removal. Exterior lighting upgrades.	\$82,844 HVAC repairs and replacement as required. Tree removal and trimming as required. Roof repairs as required. Electrical and plumbing repairs as required. Paving upgrades and repairs. Asbestos pipe insulation removal. Hallway ceiling replacement. IPM services. Interior painting as required. Safety and security upgrades. Rooftop exhaust fans replacement and repairs.

Total All Schools	\$934,544	\$849,662	\$892,145
--------------------------	------------------	------------------	------------------